



ELITE QUALITY
STRUCTURES

2025-2026 Garage Door Catalog



Garage Door Solutions for Every Project

From classic to contemporary, discover a range of door styles and materials designed to enhance your build. Quality craftsmanship, reliable performance, and unmatched curb appeal—all in one place.

eqstructure.com





4

Panel Selection


Raised • Recessed • Flush • Grooved • Full View



20

Track Selection

Standard Radius • High Lift • Vertical Lift
Low Headroom • Roof Pitch • 25 Degree



21

Opener Selection

Jackshaft • Belt-Drive • Chain-Drive

Traditional Raised Panel

[Standard Selection]

Model 410/411 & Model 510/511

\$\$\$



Full Panel Image



Close Up of Stamp

Constructed of top quality materials, highly detailed raised panel, deep woodgrain texture, and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 410

- 24 gauge steel
- 1.0 mil paint
- 7 color options
- 8 window options

Model 411

- Includes all of 410 features +
- Insulated (R-value 6.85)
- Vinyl interior skin

Model 510

- 25 gauge steel
- 1.0 mil paint
- 3 color options (see above)
- 8 window options


Model 511

- Includes all of 510 features +
- Insulated (R-value 6.85)
- Vinyl interior skin

SIZE OPTIONS

*20', 22' not available in Model 510/511

WIDTHS:



Window Options



#306 SHERWOOD



#305 WILLIAMSBURG



#591 CASCADE



#393 CATHEDRAL



#397 STOCKTON



#597 STOCKBRIDGE



#320 WATERTON



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

Manufactured by:

doorLink
Manufacturing, Inc.™



*colors may vary from actual product; 510 & 511 panels only come in white, almond & sandstone

BUILD YOUR TRADITIONAL RAISED PANEL DOOR

MODEL: 410 Non Insulated, 24ga Steel / 411 Insulated, 24ga Steel
510 Non Insulated, 25ga Steel / 511 Insulated, 25ga Steel

410/411 COLORS: White / Almond / Desert Tan / Sandstone / Brown / Gray / Black

510/511 COLORS: White / Almond / Sandstone

VINYL COLOR: _____ (usually matches the door color, also referred to as “weatherstripping” or “seals”)

DOOR SIZE: _____ X _____ (width x height)

WINDOWS: None / #306 Sherwood / #305 Williamsburg / #591 Cascade / #393 Cathedral /
#397 Stockton / #597 Stockbridge / #320 Waterton / #897 Prairie

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch

OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.


Raised Ranch Panel

Model 490/491

\$\$\$



Full Panel Image



Close Up of Stamp

Constructed of top quality materials, highly detailed raised ranch panel, deep woodgrain texture, and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 490

- 24 gauge steel
- 1.0 mil paint
- 7 color options
- 6 window options
- Non Insulated

Model 491

- 24 gauge steel
- 1.0 mil paint
- 7 color options
- 6 window options
- Insulated (R-value 6.85)
- Vinyl interior skin

Window Options



#306 SHERWOOD



#305 WILLIAMSBURG



#591 CASCADE



#397 STOCKTON



#597 STOCKBRIDGE



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

SIZE OPTIONS

WIDTHS:



Manufactured by:

doorLink
Manufacturing, Inc.



*colors may vary from actual product

BUILD YOUR RAISED RANCH PANEL DOOR

- MODEL:** 490 Non Insulated / 491 Insulated with Vinyl Interior Skin
- DOOR COLOR:** White / Almond / Desert Tan / Sandstone / Brown / Gray / Black / Walnut
- VINYL COLOR:** _____ (usually matches the door color, also referred to as “weatherstripping”)
- DOOR SIZE:** _____ X _____ (width x height)
- WINDOWS:** None / #306 Sherwood / #305 Williamsburg / #591 Cascade / #397 Stockton / #597 Stockbridge / #897 Prairie
- TRACK:** Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch
- OPENERS:** None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.


Manufactured by:




Short Recessed Panel

Model 420/421

\$\$\$



Full Panel Image



Close Up of Stamp

Constructed of top quality materials, highly detailed short recessed panel, deep pebble grain texture, and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 420


- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Non Insulated

Model 421

- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Insulated (R-value 6.85)
- Vinyl interior skin

SIZE OPTIONS

WIDTHS:



Window Options



#287 STOCKTON ARCH



#388 SOMERTON



#387 STOCKTON



#588 WYNDBRIDGE



#587 STOCKBRIDGE



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

Manufactured by:





*colors may vary from actual product

BUILD YOUR SHORT RECESSED PANEL DOOR

MODEL: 420 Non Insulated / 421 Insulated with Vinyl Interior Skin

DOOR COLOR: White / Almond / Desert Tan / Sandstone / Brown / Gray / Black / Walnut

VINYL COLOR: _____ (usually matches the door color, also referred to as “weatherstripping”)

DOOR SIZE: _____ X _____ (width x height)

WINDOWS: None / #287 Stockton Arch / #388 Somerton / #387 Stockton / #588 Wyndbridge /
#587 Stockbridge / #897 Prairie

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch

OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.

Manufactured by:



Long Recessed Panel

Model 480/481

\$\$\$



Full Panel Image



Close Up of Stamp

Constructed of top quality materials, highly detailed long recessed panel, deep pebble grain texture, and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 480

- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Non Insulated

Model 481

- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Insulated (R-value 6.85)
- Vinyl interior skin

SIZE OPTIONS

WIDTHS:



Window Options



#287 STOCKTON ARCH



#388 SOMERTON



#387 STOCKTON



#588 WYNDBRIDGE



#587 STOCKBRIDGE



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

Manufactured by:





*colors may vary from actual product

BUILD YOUR LONG RECESSED PANEL DOOR

MODEL: 480 Non Insulated / 481 Insulated with Vinyl Interior Skin

DOOR COLOR: White / Almond / Desert Tan / Sandstone / Brown / Gray / Black / Walnut

VINYL COLOR: _____ (usually matches the door color, also referred to as “weatherstripping”)

DOOR SIZE: _____ X _____ (width x height)

WINDOWS: None / #287 Stockton Arch / #388 Somerton / #387 Stockton / #588 Wyndbridge /
#587 Stockbridge / #897 Prairie

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch

OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.


Manufactured by:



Flush Panel

Model 450/451

\$\$\$



Full Panel Image



Constructed of top quality materials, flush panel with deep woodgrain texture, and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 450

- 24 gauge steel
- 1.0 mil paint
- 7 color options
- Window options vary
- Non Insulated

Model 451

- 24 gauge steel
- 1.0 mil paint
- 7 color options
- Window options vary
- Insulated (R-value 6.85)
- Vinyl interior skin



Window Options

Window options vary and are based on supplier availability.

SIZE OPTIONS

WIDTHS:


8', 9', 10', 12', 14', 15', 16', 17', 18', 20', 22'

Manufactured by:


doorLink
Manufacturing, Inc.



WHITE



ALMOND



DESERT TAN



SANDSTONE



BROWN



GRAY



BLACK

*colors may vary from actual product

BUILD YOUR FLUSH PANEL DOOR

MODEL: 450 Non Insulated / 451 Insulated with Vinyl Interior Skin

DOOR COLOR: White / Almond / Desert Tan / Sandstone / Brown / Gray / Black

VINYL COLOR: _____ (usually matches the door color, also referred to as “weatherstripping”)

DOOR SIZE: _____ X _____ (width x height)

WINDOWS: None / Request supplier availability and list of current options

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch

OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.

Manufactured by:



Grooved Panel

Model 430/431

\$\$\$



Full Panel Image showing Optional Hardware & #387 Stockton Windows

Constructed of top quality materials, highly detailed grooved panel, deep pebble grain texture and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 430


- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Non Insulated

Model 431

- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Insulated (R-value 6.85)
- Vinyl interior skin

SIZE OPTIONS

WIDTHS:



Close Up of Stamp

Window Options



#287 STOCKTON ARCH



#388 SOMERTON



#387 STOCKTON



#588 WYNDBRIDGE



#587 STOCKBRIDGE



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

Manufactured by:

doorLink
Manufacturing, Inc.



*colors may vary from actual product

BUILD YOUR GROOVED PANEL DOOR

- MODEL:** 430 Non Insulated / 431 Insulated with Vinyl Interior Skin
- DOOR COLOR:** White / Almond / Desert Tan / Sandstone / Brown / Gray / Black / Walnut
- VINYL COLOR:** _____ (usually matches the door color, also referred to as “weatherstripping”)
- DOOR SIZE:** _____ X _____ (width x height)
- WINDOWS:** None / #287 Stockton Arch / #388 Somerton / #387 Stockton / #588 Wyndbridge / #587 Stockbridge / #897 Prairie
- TRACK:** Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch
- OPENERS:** None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.

Manufactured by:



Long Grooved Panel

Model 440/441

\$\$\$\$



Full Panel Image showing Optional Hardware & #387 Stockton Windows

Constructed of top quality materials, highly detailed grooved panel, deep pebble grain texture and two coat prefinished paint system all combine to enhance the beauty of your home.

Model 440


- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Non Insulated

Model 441

- 24 gauge steel
- 1.0 mil paint
- 8 color options
- 6 window options
- Insulated (R-value 6.85)
- Vinyl interior skin

SIZE OPTIONS

WIDTHS:



Close Up of Stamp

Window Options



#287 STOCKTON ARCH



#388 SOMERTON



#387 STOCKTON



#588 WYNDBRIDGE



#587 STOCKBRIDGE



#897 PRAIRIE

Not all window styles or glazing options may be available through our distributor.

Manufactured by:

doorLink
Manufacturing, Inc.



*colors may vary from actual product

BUILD YOUR LONG GROOVED PANEL DOOR

MODEL: 440 Non Insulated / 441 Insulated with Vinyl Interior Skin

DOOR COLOR: White / Almond / Desert Tan / Sandstone / Brown / Gray / Black / Walnut

VINYL COLOR: _____ (usually matches the door color, also referred to as “weatherstripping”)

DOOR SIZE: _____ X _____ (width x height)

WINDOWS: None / #287 Stockton Arch / #388 Somerton / #387 Stockton / #588 Wyndbridge /
#587 Stockbridge / #897 Prairie

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch

OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.


Manufactured by:



Aluminum Full View Panel

Model 8100, 8400, 8500

\$\$\$\$



Full Panel Image

The right choice when maximum light and visibility are required. Ideally suited for all residential, commercial, and retail establishments. Choose from a variety of glazing options including glass, acrylic, insulated glass, or aluminum panels.

WINDOW OPTIONS



1/8" Glass



1/4" Glass



1/2" Insulated Glass

All Models:

- 4 Color Options
- 6 Window Glass Color Options
- Optional Tempered Glass

Model 8100

- 1/8" Glass

Model 8400

- 1/4" Glass

Model 8500

- 1/2" Insulated Glass

SIZE OPTIONS

WIDTHS:

UP TO
9'2"



9'3" TO
12'2"



12'3" TO
17'2"



17'3" TO
18'2"



18'3" TO
20'2"



Manufactured by:






Window Glass Options



CLEAR
ANODIZED



WHITE POWDER
COATED



BRONZE POWDER
COATED



BLACK POWDER
COATED

*colors may vary from actual product



CLEAR



SATIN



BRONZE



GRAY



GRAY LITE 31



PATTERN 62

Build Your ALUMINUM FULL VIEW Panel Door

MODEL: 8100, 1/8" Glass
8400, 1/4" Glass
8500, 1/2" Insulated Glass

COLORS: Clear / White / Bronze / Black

VINYL COLOR: _____ (usually matches the door color, also referred to as "weatherstripping")

DOOR SIZE: _____ X _____ (width x height)

GLASS COLOR: Clear / Satin / Bronze / Gray / Gray Lite 31 / Pattern 62

TEMPERED GLASS: Yes / No

TRACK: Standard Radius / High Lift / Vertical Lift / Low Headroom / Roof Pitch


OPENERS: None / Jackshaft Opener / Belt-Driven / Chain-Driven

Examples of Track and Openers can be found on pages 20 & 21.

Manufactured by:



TRACK SELECTION




Standard Radius
[Standard Selection]




Hi-Lift



Vertical Lift



Low Headroom



Roof Pitch



25 Degree

Standard Radius: This is the most common track option, featuring a curved track that allows the garage door to roll up and sit parallel to the ceiling. Ideal for most standard residential garages.

Hi-Lift: This track has a longer vertical section, raising the door higher before it curves, making it suitable for garages with high ceilings, maximizing space above vehicles or equipment.

Vertical Lift: The track lifts the door straight up vertically without any horizontal track, ideal for industrial or commercial spaces with very high ceilings and where overhead space needs to be fully utilized.

Low Headroom: Designed for garages with limited ceiling space, this track system allows the door to open with less clearance, using a dual-track setup to operate efficiently in tight spaces.

Roof Pitch: The track follows the slope of the roof, enabling the garage door to match the angle of a pitched ceiling. This option is great for garages with sloped roofs or custom architectural designs.

25 Degree: This option is similar to the standard radius but features a track with a tighter curve, typically a 25-degree angle. It's used in situations where space is limited, and a tighter curve is required for door operation.

Some types of track can be combined, such as hi-lift and roof pitch.

OPENER SELECTION



Jackshaft Opener
[Standard Selection]

The wall-mounted, jackshaft design frees up ceiling space in your garage while minimizing noise and vibration.



Belt-Driven Opener

Belt drive garage door openers are incredibly durable and operate with quietly, making them perfect for homes with attached garages.



Chain-Driven Opener

Chain drive garage door openers are reliable and powerful, designed to effortlessly handle heavy, frequently used doors, day after day.

Bylers Quality Construction generally installs Liftmaster brand openers.

How to Choose an Opener

If you want to minimize vibration and free up ceiling space in your garage, a **jackshaft opener** is right for you. We prefer the jackshaft opener benefits compared to the other selections.

If you have a bedroom near an attached garage and want quiet operation, a **belt drive opener** provides a quieter opening and closing of your door.

If you have a heavy door that you use frequently, a **chain drive opener** may be an ideal choice.

